Asthma Control Test™ for teens 12 years and older. Know the score.

If your teen is 12 years or older have him take the test now and discuss the results with your doctor

Step 1 Write the number of each answer in the score box provided.

Step 2 Add up each score box for the total.

Step 3 Take the test to the doctor to talk about your child's total score.

All of the time	1	Most of the time	2	Some of the time	3	A little of the time	4	None of the time	5	
2. During the pas	st 4 weeks	, how often h	ave you ha	d shortness (of breath?					
More than once a day	1	Once a day	2	3 to 6 times a week	3	Once or twice a week	4	Not at all	5	
3. During the pas or pain) wake						ng, coughing, :	shortness	of breath, chest	tightness,	
4 or more nights a week		2 or 3 nights a week	(2)	Once a week	(3)	Once or twice	4	Not at all	5	
The state of the s										
		, how often had or 2 times per day	(2)	ed your rescu 2 or 3 times per week	ue inhaler o	or nebulizer me Once a week or less	dication (such as albuterd Not at all	ol)?	
4. During the pas	st 4 weeks	1 or 2 times per day	2	2 or 3 times per week	3	Once a week	dication (Not	ol)?	
4. During the pas 3 or more times per day	at 4 weeks	1 or 2 times per day	2 rol during t	2 or 3 times per week	3	Once a week	dication (Not	5	

What does it mean if my child scores 19 or less?

- If your child's score is 19 or less, it may be a sign that your child's asthma is not under control.
- Make an appointment to discuss your child's asthma score with their doctor. Ask if you should change your child's asthma treatment plan.
- Ask your child's doctor about daily long-term medications that can help control airway inflammation and constriction, the two main causes of asthma symptoms. Many children may need to treat both of these on a daily basis for the best asthma control.